



WASHER EXTRACTOR HARD MOUNT
HWE Range - Medium Spin

Model	Capacity (Kgs)	Basket size (MM)	Drive motor (H.P)	G-force	Dimensions Lx D x H (MM)
HWE-8	8	Dia 550 X350	2	200 G	750 X 1000 X 1200

WASHER EXTRACTOR SOFT MOUNT
SWE Range - High Spin Freestanding

Model	Capacity (Kgs)	Basket size (MM)	Drive motor (H.P)	G-force	Dimensions Lx D x H (MM)
SWE-15	15	Dia 720 X 380	5	350 G	1100 X 1180 X 1575
SWE-30	30	Dia 900 X 500	7.5	350 G	1350 X 1450 X 1780
SWE-60	60	Dia 1100 X 650	15	350 G	1600 X 1725 X 2045
SWE-120	120	Dia 1350 X 850	25	320 G	1950 X 2250 X 2300



HORIZONTAL WASHING MACHINE
HW Range - TOP Loading

Model	Capacity (Kgs)	Basket size (MM)	Drive motor (H.P)	Dimensions Lx D x H (MM)
HW - 30	30	Dia 770 X 915	2	1930 X 1075 X 1275
HW - 60	60	Dia 950 X 1200	3	2260 X 1100 X 1330
HW -100	100	Dia 1150 X 1380	7.5	2545 X 1360 X 1570
HW -150	150	Dia 1060 X 2440	10	3925 X 1310 X 1400
HW - 200	200	Dia 1220 X 2440	15	3925 X 1470 X 1610



VERTICAL WASHING MACHINE
VW Range - Front Loading

Model	Capacity (Kgs)	Basket size (MM)	Drive Motor (H.P)	Dimensions Lx D x H (MM)
VW - 6	6	Dia 533 X 265	0.25	700 X 750 X 875
VW - 9	9	Dia 610 X 305	0.5	800 X 815 X 1170
VW -15	15	Dia 750 X 350	1	1000 X 1020 X 1430
VW - 30	30	Dia 900 X 500	2	1100 X 1230 X 1590
VW - 60	60	Dia 1100 X 650	3	1310 X 1370 X 1900
VW -120	120	Dia 1350 X 850	7.5	1525 X 1750 X 2100

TOPPERS FOAM FINISHERS



MFF



SF



TT

OIL FIRED BOILER



SHELL TYPE
CAPACITY : 50 & 100 KGS



COIL TYPE
Capacity : 200,400, 600 & 800 Kgs

SPOTTING TABLES



ST



STC



STS

AIR OPERATED PRESSES



CC



BP



PP



HYDRO EXTRACTOR
HE - Range Direct Drive

Model	Capacity (Kgs)	Basket size (MM)	Drive Motor (H.P)	Dimensions Lx D x H (MM)
HE - 7	7	Dia 355 X 300	0.5	485 X 485 X 715
HE -12	12	Dia 450 X 300	1	650 X 850 X 1060
HE - 15	15	Dia 540 X 320	2	685 X 890 X 1100
HE - 30	30	Dia 715 X 330	3	865 X 1065 X 1100

HYDRO EXTRACTOR
NC Range, 3 Pin Suspended

Model	Capacity (Kgs)	Basket size (MM)	Drive Motor (H.P)	Dimensions Lx D x H (MM)
NC-50	50	Dia 915 X 350	7.5	1300 X 1850 X 960
NC-100	100	Dia 1220 X 430	15	2450 X 1860 X 1180



TUMBLE DRIER
TD Range

Model	Capacity (Kgs)	Basket size (MM)	Driver Motor (H.P)	Blower Motor(H.P)	Heater K.W.	Dimensions Lx D x H
TD-9	9	Dia 600 X 500	0.25	0.25	6	700 X 950 X 1260
TD-15	15	Dia 675 X 660	0.5	0.5	12	800 X 1100 X 1460
TD-30	30	Dia 920 X 920	1	1	18	1065 X 1550 X 1900
TD-60	60	Dia 1220 X 1020	2	2	24	1375 X 1727 X 2160
TD-120	120	Dia 1600 X 1200	3	4	48	1800 X 1960 X 2040

DRY CLEANING MACHINE
PERC Solvent Based

Model	Capacity (Kgs)	Basket size (MM)	Total Power (K.W.)	Dimensions Lx D x H (MM)
PDC - 6	6	Dia 650 X 340	11	1490 X 1080 X 1680
PDC - 8	8	Dia 690 X 440	12	1550 X 1080 X 1820
PDC -15	15	Dia 830 X 560	15	2225 X 1500 X 1940
PDC-25	25	Dia 1000 X 640	25	2250 X 1750 X 2280



FLAT WORK IRONER
Economy Range-electrical or Steam Chest Heated Ironer

Model	Roller Size (Kgs)	Useful Length (MM)	Motor (H.P)	Heater	Dimensions Lx D x H (MM)
ER-1000	Dia 250	1000	0.5	6	1400 X 420 X 1005
ER-1600	Dia 300	1600	1	9	2200 X 750 X 1270
ER-2000	Dia 350	2000	2	12	2750 X 800 X 1270
ER-3000	Dia 400	3000	3	18	3950 x 800 x 1300




FOLD & FEED FLAT WORK IRONER
ECH Range-Electrical Chest Heated Ironers

Model	Roller Size (Kgs)	Useful Length (MM)	Motor (H.P)	Heater (H.P)	Dimensions Lx D x H (MM)
ECH-700	Dia 300	700	0.5	3	1675 X 600 x 1800
ECH-1600	Dia 300	1600	1	6	2250 X 1350 X 2150



FLAT WORK IRONER
SCH Range - Chest Heated Drying Ironers
SRH Range -Roller Heated Drying Ironers

Model	Roller Size (MM)	Useful Length (MM)	Steam (Kgs/Hr)	Productivity (Mt / Mint)	Motor (H.P)	Dimensions Lx D x H (MM)
SCH-2000	Dia 400	2000	50	2-6	2	2950 X 800 X 1270
SCH -3000	Dia 600	3000	100	2-10	3	4160 X 1600 X 1350
SRH-2000	Dai 400	2000	40	1-5	1	2550 X 1200 X 1010
SRH-3000	Dia 600	3000	80	1-8	2	4090 X 1630 X 1250



FLAT WORK IRONER
SCH Range - Chest Heated Drying Ironers

Model	Roller Size (MM)	Useful Length (MM)	No of Rolls	Motor (H.P)	Steam (Kgs/Hr)	Productivity (Mt / Mint)	Dimensions Lx D x H (MM)
SCH-3300	Dia-830	3300	1	7.5	180	3-15	4850 X 1800 X 1700
SCH-3300 X 2	Dia-830	3300	2	20	360	5-25	4850 X 2900 X 1700

VACCUM IRONING TABLES



UBT



UVTB



UVB

AUTOMATIC ELECTRICAL STEAM BOILERS

